

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/658,793 Confirmation No.: 1829  
Applicant(s) : Mark R. FRYE et al.  
Filed : September 10, 2003  
For : HIGH EFFICIENCY LIQUID OXYGEN SYSTEM  
TC/A.U. : 3764  
Examiner : Not Yet Assigned

Docket No. : 82058-0013  
Customer No. : 24633

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**AMENDMENT TRANSMITTAL**

Sir:

Transmitted herewith for filing is a Second Preliminary Amendment for the above-identified application.

The fee has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	45	MINUS	20	= 25	x 18 =	\$ 450.00
INDEP.	2	MINUS	3	= 0	x 86 =	\$ 0.00
TOTAL						\$ 450.00

☐ No additional fee is required.

☒ A check in the amount of \$ 450.00 is attached.

☐ Please charge my Deposit Account No. 50-1349 the amount of \$ .

Application No. 10/658,793  
Amendment Transmittal Letter dated February 26, 2004  
Second Preliminary Amendment dated February 26, 2004



☒ Except for issue fees payable under 37 C.F.R. § 1.18, the Commissioner is hereby authorized by this paper to charge any additional fees during the entire pendency of this application including fees due under 37 C.F.R. §§ 1.16 and 1.17 which may be required, including any required extension of time fees, or credit any overpayment to Deposit Account 50-1349. This paragraph is intended to be a **CONSTRUCTIVE PETITION FOR EXTENSION OF TIME** in accordance with 37 C.F.R. § 1.136(a)(3).

☒ Any filing fees under 37 C.F.R. §1.16 for the presentation of extra claims.


☒ Any patent application processing fees under 37 C.F.R. §1.17.

Respectfully submitted,

**HOGAN & HARTSON LLP**

Dated: February 26, 2004

**HOGAN & HARTSON LLP**  
555 Thirteenth Street, N.W.  
Washington, D.C. 20004  
Telephone: 202-637-5703  
Facsimile: 202-637-5910  
e-mail: [cjcrowson@hhlaw.com](mailto:cjcrowson@hhlaw.com)  
**Customer No. 24633**

By:   
Ajit J. Vaidya  
Registration No. 43,214

M. Scott Stevens  
Registration No. 54,762



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/658,793 Confirmation No. : 1829  
Applicant(s) : Mark R. FRYE et al.  
Filed : September 10, 2003  
Titled : HIGH EFFICIENCY LIQUID OXYGEN SYSTEM  
TC/A.U. : 3764  
Examiner : Unassigned  
Docket No. : 82058-0013  
Customer No. : 24633

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**SECOND PRELIMINARY AMENDMENT**

Sir:

Prior to examination of the above-referenced application please amend the above-identified application as follows:

**Amendments to the Claims** are reflected in the listing of claims that begins on page 2 of this paper; and

**Remarks/Arguments** begin on page 8 of this paper.